

## Product Data Sheet – Adjustable Pedestal SL Pro

### Product description

The Adjustable Pedestal **SL Pro M** and **SL Pro L** are suitable for the installation of deck substructures and stone slabs for outdoor use.

The top of the pedestal is freely adjustable and self-leveling, which means that an uneven floor with a gradient up to 8% can be compensated. The key benefit of the SL PRO is that no additional pedestals or setups are needed for it to work properly.

The self-leveling pedestal can be used as drainage as well. It can create a small slope of 1 – 2 % so water can run freely.



### Material

- Polypropylen-Copolymer (PP-C)

### Specifications

- UV stability
- High creep rupture strength
- Very good chemical resistance
- Acoustic damping properties

### Advantages

- Self-leveling up to 8 % (4,56°) slope
- Freely adjustable height of 55 to 102 mm
- Combinable with L adapter and Stone adapter
- Combinable with the Extension rings +4 and +10 cm

Product Data Sheet – Adjustable Pedestal SL Pro

Article table

Art.-No.	Product description	Assembly height * [mm]	Load bearing capacity [kN]	PU [pcs.]
946071-SL	SL Pro-M	55 - 84	8,0	10
946072-SL	SL Pro-L	73 -102	8,0	10

\* The assembly height can only be reached with the fitting adapters



## Product Data Sheet – Adjustable Pedestal SL Pro

### Application note

For an even and solid substructure, we recommend that at least three adjustable pedestals must be arranged offset.



If you are not familiar with the application of the product at hand, especially with the handling according to given regulations, it is essential to get in contact with our technical application support department.