



CERTIFICATE NO: CM70015

Date of issue: 24 June 2020

PRODUCT CERTIFICATE

SUPER-STICK Building Tape



KEY INFORMATION

1 CERTIFICATE HOLDER DETAILS

Marshall Innovations Ltd

41 Hotuhotu Street
The Lakes, Tauriko, Tauranga 3110
New Zealand

headoffice@mwznz.com
Ph: 0800 776 9727
www.mwznz.com



2 PRODUCT CERTIFICATION BODY

Bureau Veritas Australia Pty Ltd

3/435 Williamstown Road
Port Melbourne VIC 3207
Australia

Ph: 1800 855 190
www.bureauveritas.com.au

Bureau Veritas Australia Pty Ltd

The complaints process for this certificate
can be found here:

www.bureauveritas.com.au/your-feedback

3 SUMMARY OF DESCRIPTION OF BUILDING METHOD OR PRODUCT

SUPER-STICK Building Tape is a cold applied self-adhering flashing tape that utilizes a metalized, fibre reinforced, facer film and a high-performance copolymer adhesive that is designed to have aggressive adhesion in extreme cold and hot temperatures. It is available in rolls 75, 150 and 200mm wide by 23m long.

Continuation of description can be found in item 9. Supporting Information about Description of Building Product or Method.

Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use

4 SUMMARY OF INTENDED USE OF BUILDING METHOD OR PRODUCT

SUPER-STICK Building Tape is a high-performance window and door flashing tape for use on Kraft Building Paper and modern laminated synthetic cloth building wraps as well as rigid air barriers made from plywood, fibre-cement and oriented strand board.

Continuation of intended use can be found in item 10. Supporting Information about Intended use of Building Product or Method

5 BUILDING CODE PROVISIONS

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system).

B2 Durability – B2.3.1 (b), B2.3.2 (a)

E2 External Moisture – E2.3.2 (contributes to), E2.3.7 (contributes to)

F2 Hazardous Building Materials – F2.3.1

How the building method or product complies or contributes can be found in item 12. Basis for Certification.

Any qualifications on the extent of that compliance can be found in item 6. Conditions and limitations of use.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product that is the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.

This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

CERTIFICATE V1.3

PRODUCT CERTIFICATE

SUPER-STICK Building Tape

6 CONDITIONS AND LIMITATIONS OF USE

1. Shall be installed in accordance with the SUPER-STICK Building Tape Guides, Version Two - December 2016.
2. The scope of this certificate covers the use of SUPER-STICK Building Tape in timber and steel framed buildings;
 - up to 10m in height, and
 - with a risk score less than 20, when evaluated against the E2/AS1 risk matrix, and
 - in wind zones up to extra high as defined in NZS3604:2011 Timber-framed buildings.
 - in all corrosion zones as defined in NZS3604:2011 Timber-framed buildings.
3. Installation at an ambient and substrate temperature of less than -6°C falls outside the scope of this certificate.
4. The scope of the certificate covers the use of SUPER-STICK Building Tape with Kraft Building Paper and modern laminated synthetic cloth building wraps. For further information please contact the certificate holder.
5. SUPER-STICK Building Tape may be used as a joint and window sealing tape on rigid air barriers made from plywood, fibre-cement and oriented strand board. Refer to the rigid air barriers manufacturer's specifications for tape application to joinery openings and sheet joints.
6. Shall not be exposed to weather or UV light for more than 90 days.
7. Compatibility with sealants shall be assessed prior to use. For further information please contact the certificate holder.

NOTE: Together, items 3,4,5 and 6 define scope of use

7 HEALTH AND SAFETY INFORMATION

The compliance with any manufacturer's installation instructions, maintenance, OH & S statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product. Refer to section 12 for specific detail of compliance with the performance requirements of clauses F1 to F9 of the Building code.

8 SIGNATURES



Sam Guindi
Product Certification Manager

For and on behalf of
Bureau Veritas Australia Pty Ltd



Nick Batt
General Manager

For and on behalf of
Marshall Innovations Ltd

PRODUCT CERTIFICATE

SUPER-STICK Building Tape

SCHEDULE: INFORMATION THAT SUPPORTS KEY INFORMATION

9 SUPPORTING INFORMATION ABOUT DESCRIPTION

Further details regarding the description of the product can be found in the SUPER-STICK Building Tape Specification, August 2017

10 SUPPORTING INFORMATION ABOUT INTENDED USE

Further details regarding the use of the product can be found in the SUPER-STICK Building Tape Specification, August 2017

11 SUPPORTING INFORMATION ABOUT CONDITIONS AND LIMITATIONS OF USE

Further details regarding the use of the product can be found in the SUPER-STICK Building Tape Specification, August 2017

12 BASIS FOR CERTIFICATION

B2 Durability: by testing and comparison with Acceptable Solution B2/AS1 and Verification Method B2/VM1
E2 External Moisture: by comparison with Acceptable Solution E2/AS1
F2 Hazardous building materials: by testing and comparison with Acceptable Solution F2/AS1

13 SUPPORTING DOCUMENTATION FOR CERTIFICATION

1. Acceptable Solutions and Verification Methods For New Zealand Building Code Clause B1 Structure (Amendment 19), 28 November 2019
2. Acceptable Solutions and Verification Methods For New Zealand Building Code Clause B2 Durability (Amendment 12), 28 November 2019
3. Acceptable Solutions and Verification Methods For New Zealand Building Code Clause E2 External moisture 3rd edition (Amendment 9), 27 June 2019
4. Acceptable Solutions and Verification Methods For New Zealand Building Code Clause F2 Hazardous Building Materials (Amendment 3), 1 January 2017 Ramtech Laboratory Test Report, 14 December 2014
5. BRANZ appraisal 846, 7 June 2019
6. SuperStick Building Tape Safety Data Sheet, October 2014
7. ICC Evaluation Service AC148 Acceptance criteria for flashing materials
8. Protecto Super Stick Safety Data Sheet Oct 2018

PRODUCT CERTIFICATE

SUPER-STICK Building Tape

14 CONDITIONS RELATING TO NOTIFICATION

- (a) the certificate holder notifies the product certification body in writing of any intended change to any of the following particulars:
- (i) the name, address, or contact details of the certificate holder;
 - (ii) any address of a location where a certified product is produced or manufactured;
- (b) the certificate holder notifies the product certification body in writing of any intended change, modification, or alteration to any of the following:
- (i) the certified building method or product;
 - (ii) the method of its production or manufacture;
 - (iii) the product quality plan prepared in respect of the certified building method or product;
 - (iv) the application or installation instructions for the certified building method or product;
 - (v) any documentation relating to the use and maintenance of the certified building method or product;
- (c) if the certificate holder has any reason to suspect that the certified building method or product does not comply with the Building Code, the certificate holder notifies the product certification body in writing of the reason for that suspicion:
- (d) if the certificate holder or the product certification body finds that a certified building method or product that has been released on the market does not comply with the Building Code, the certificate holder discloses that fact in disclosure statements published in a form that is acceptable to the product certification body and to the chief executive:
- (e) if the certificate is suspended or revoked, the certificate holder—
- (i) notifies all customers to whom the building method or product is regularly supplied; and
 - (ii) immediately ceases using the certificate, the mark of conformity, and any reference to the number of the certificate.